

FEATURES AND OPTIONS - 5000 SERIES

● = Standard ● = Optional

Features and options*	5900/24R 30"	5900/16R 30"	5900/12R 30"	5700/36R 20"	5700/24R 30"	5700/24R 20"	5670/31R 15"	5670/23R 15"
Planter frame and toolbar	Front fold	Front fold	Front fold	Front fold	Front fold	Front fold	Pivot fold	Pivot fold
Sections	3	3	3	3	3	3	3	3
Flexibility	Wing flex 21° Up / 21° Down	Wing flex 21° Up / 21° Down	Wing flex 21° Up / 21° Down	Wing flex 15° Up / 15° Down	Wing flex 15° Up / 15° Down	Wing flex 15° Up / 15° Down	Wing flex 15° Up / 15° Down	Wing flex 15° Up / 12° Down
Split rows	–	–	–	–	–	–	●	●
Even row split row	–	–	–	–	–	–	●	●
Row markers	●	●	●	●	●	●	●	●
Flip axle	●	–	–	–	–	–	–	–
Active hydraulic weight transfer	●	●	●	●	●	●	●	●
Number of rows per wing	8	5	3	12	8	8	10	7
CAT 4 drawbar with articulating swivel hitch	●	●	●	●	●	●	●	●
CAT 5 drawbar with articulating swivel hitch	–	–	–	●	●	●	–	–
2-point hitch adapter	●	●	●	–	–	–	●	●
Variable displacement piston PTO hydraulic pump	●	●	●	●	●	●	●	●
Transmission and drive system								
Blue Drive electric drive	●	●	●	●	●	●	●	●
Seed handling								
Bulk fill hoppers - total capacity	120 bu.	80 bu.	80 bu.	120 bu.	120 bu.	120 bu.	120 bu.	80 bu.
Bulk fill scale package	●	●	●	●	●	●	●	●
Displays and control								
Blue Vantage display	●	●	●	●	●	●	●	●
Ag Leader 7500 GPS Receiver	●	●	●	●	●	●	●	●
Metering								
True Speed high speed meter	●	●	●	●	●	●	–	–
True Rate vacuum meter	●	●	●	●	●	●	●	●
Down pressure								
True Depth hydraulic down force	●	●	●	●	●	●	●	●
Pneumatic down pressure	●	●	●	●	●	●	●	●
Row Unit Attachments (5000 Series Row Unit)								
Yetter air adjustable row cleaners (w or w/o no-till)	●	●	●	●	●	●	●	●
Spoked gauge wheels w/scrapers	●	●	●	●	●	●	●	●
Manual adjustable closing wheels	●	●	●	●	●	●	●	●
Air adjustable closing wheels	●	●	●	●	●	●	●	●
Closing wheels (Cast iron, Rubber V, Spiked)	●	●	●	●	●	●	●	●
Row unit mounted no-till coulters (3/4" fluted, 13 or 25 wave)	●	●	●	–	●	–	●	●
Residue wheels, coulter mtd w/ treader wheel	●	●	●	–	●	–	●	●
Granular chemical with hopper	●	●	●	●	●	●	●	●
Fertilizer								
Liquid fertilizer tanks	●	●	●	●	●	●	●	●
Liquid fertilizer openers	●	●	●	–	–	–	●	●
Liquid fertilizer tube in-furrow	●	●	●	●	●	●	●	●
Diaphragm pump package w/ manifolds	●	●	●	●	●	●	●	●
Auxiliary front hitch plumbing	●	●	●	●	●	●	●	●
Rear trailer hitch	●	●	●	–	●	–	●	●
Miscellaneous								
First camera - planter mounted	●	●	●	●	●	●	●	●
Add'l Cameras - (up to 3)	●	●	●	●	●	●	●	●
LED Auxiliary work light package	●	●	●	●	●	●	●	●

*Not all features/options are available with all sizes or configurations. Some features/options available only through Dealer Parts.

Features and options*	3665	3605	3505	3205	3005
Planter frame and toolbar	Pivot fold	Pivot fold	Pivot fold	Wing fold	Rigid
Sections	3	3	1	2	1
Flexibility	Wing flex 13° up / 13° down	Wing flex 7° up / 7° down	Rigid	Center flex 13° up / 13° down	Rigid
Split rows	●	●	●	—	●
Even row split row	●	●	●	—	—
Row markers	●	●	●	●	●
Hydraulic weight transfer <small>(active hydraulic weight transfer w/bulk fill scale and Blue Drive)</small>	●	●	—	—	—
CAT 4 drawbar with articulating swivel hitch	●	●	—	—	—
2-point hitch	●	●	●	—	—
Clevis hitch	—	—	●	●	●
Gear PTO Hydraulic pump <small>(standard with Blue Drive)</small>	●	●	●	—	—
Transmission and drive system					
Blue Drive electric drive	●	—	●	—	—
Hydraulic drive	—	●	—	—	—
Ground contact drive	—	●	●	●	●
Seed handling					
Bulk fill hoppers - total capacity	110 bu.	80 bu.	50 bu.	—	—
Bulk fill scale package	●	● <small>(with Ag Leader Controls Only)</small>	● (Blue Drive)	—	—
Row unit hoppers - 1.9 bu.	—	●	●	●	●
Displays and controls					
Blue Vantage display <small>(standard with Blue Drive)</small>	●	—	●	—	—
Ag Leader InCommand 1200	—	●	●	●	—
Ag Leader electronics package	—	●	●	●	—
KPM III electronic seed monitor	—	●	●	●	●
Ag Leader 7500 GPS receiver	●	●	●	●	—
Electric single row clutches	—	●	●	●	—
Metering					
True Speed high speed meter	●	—	●	—	—
True Rate vacuum meter	●	●	●	●	—
Mechanical Meters (Brush 2.0 or Finger pick-up)	—	●	●	●	●
Down pressure					
True Depth hydraulic down force	●	—	●	—	—
Pneumatic down pressure	●	●	●	—	—
Heavy duty down pressure springs	●	●	●	●	●
Row Unit Attachments (3005 Series Row Unit)					
Spoked gauge wheels	●	●	●	●	●
Closing wheels (Cast iron, Rubber V, Spiked)	●	●	●	●	●
Row unit mounted no-till coulters (3/4" fluted, 13 or 25 wave)	●	●	●	●	●
Residue wheels, coulter mtd w/treader wheel	●	●	●	●	●
Granular chemical with hopper	●	●	●	●	●
Fertilizer					
Liquid fertilizer tanks	●	●	●	●	●
Dry fertilizer packages	—	●	●	—	●
Notched single disc opener package	●	●	●	●	●
Heavy-duty single disc opener package	●	●	●	●	●
Liquid fertilizer tube in-furrow	●	●	●	●	●
Liquid fertilizer piston pump pkgs	●	●	●	●	●
Miscellaneous					
Cameras - planter mounted (up to 4)	●	—	●	—	—
LED Auxiliary work light package	●	●	●	—	—
Rear trailer hitch	●	●	●	—	—

*Not all features/options are available with all sizes or configurations. Some features/options available only through Dealer Parts.

MODEL DIMENSIONS AND WEIGHTS

	5900			5700			5670	
	24R 30"	16R 30"	12R 30"	36R 20"	24R 30"	24R 20"	31R 15"	23R 15"
Length								
Planting - bulk fill hoppers	30' 8" ¹	23' 4" ¹	20' 9" ¹	30' 1"	30' 1"	25' 4"	25' 10"	22' 6"
Transport - bulk fill hoppers	45' 5" ¹	35' 6" ¹	30' 10" ¹	43' 2"	43' 2"	34' 4"	47' 2"	37' 2"
Width								
Planting - bulk fill hoppers	61' 11"	42' 9"	33' 2"	60' 10"	60' 10"	42'	40' 9"	30' 11"
Transport - bulk fill hoppers	11' 8"	11' 8"	11' 8"	16' 2"	16' 2"	16' 2"	11' 4"	11' 4"
Height								
Planting - bulk fill hoppers	9' 5"	8' 7"	8' 11"	10' 4"	10' 4"	9' 8"	8' 7"	8' 7"
Transport - bulk fill hoppers	12' 4" ²	11' 8" ³	11' 6" ³	12' 4"	12' 4"	12' 4"	13' 1"	13' 1"
Weight (empty)								
Base machine - bulk fill hoppers ⁸	31,525-34,400 lbs.	21,490-22,300 lbs.	17,060-18,000 lbs.	32,000-37,400 lbs.	30,000-34,820 lbs.	26,460-27,210 lbs.	28,580 lb.	20,720 lb.
Hitch - bulk fill hoppers	11,120 lbs. ⁴	8,160 lbs.	5,380 lbs.	9,620 lbs.	8,000 lbs.	6,250 lbs.	4,205 lbs.	3,544 lbs

1. Add 2' 9" to length with drawbar hitch; add 1' 2" to length for 2-point hitch

2. Includes row markers, flip axle and fertilizer

3. Includes row markers and fertilizer

4. Hitch weight reduced by 1,500 lbs when flip axle is engaged (may vary with other installed options)

5. With double-frame

* Typical configuration (split row, marker)

** Typical configuration

MODEL DIMENSIONS AND WEIGHTS

	3665		3605		3505
	16R 30"	12R 30"	16R 30"	12R 30"	8R 30"
Length					
Planting - row unit hoppers	–	–	24' 0"	21' 0"	19' 8"
Planting - bulk fill hoppers	26' 3"	23' 9"	24' 0"	21' 0"	19' 8"
Transport - row unit hoppers	–	–	46' 10"	36' 10"	26' 5"
Transport - bulk fill hoppers	49' 2"	39' 2"	46' 10"	36' 10"	26' 5"
Width					
Planting - row unit hoppers	–	–	41' 2"	31' 2"	21' 10"
Planting - bulk fill hoppers	42' 11"	32' 11"	41' 2"	31' 2"	21' 10"
Transport - row unit hoppers	–	–	11' 2"	11' 2"	11' 2"
Transport - bulk fill hoppers	11' 2"	11' 2"	11' 2"	11' 2"	11' 2"
Height					
Planting - row unit hoppers	–	–	–	–	–
Planting - bulk fill hoppers	–	–	8' 2"	8' 2"	8' 0"
Transport - row unit hoppers	–	–	11' 5"	11' 5"	10' 6"
Transport - bulk fill hoppers	12' 11"	12' 11"	12' 6"	12' 6"	12' 0"
Weight (empty)					
Base machine - row unit hoppers [§]	–	–	23,033 lbs.**	18,180 lbs.**	5,886–6,269 lbs.
Base machine - bulk fill hoppers [§]	25,718 lbs.*	22,380 lbs.*	24,033 lbs.*	19,180 lbs.*	6,919–11,520 lbs.
Hitch - row unit hoppers	–	–	–	–	–
Hitch - bulk fill hoppers	–	–	–	–	2,260 lbs (with Split Rows)

	3205	3005		
	12R 30"	8R 30"	6R 30"	4R 30"
Length				
Planting - row unit hoppers	17' 9"	11' 4" / 13' 8" ⁵	11' 4" / 13' 8" ⁵	11' 4" / 13' 8" ⁵
Transport - row unit hoppers	17' 9"	11' 4" / 13' 8" ⁵	11' 4" / 13' 8" ⁵	11' 4" / 13' 8" ⁵
Width				
Planting - row unit hoppers	31' 4"	21' 10"	17' 8"	12' 8"
Transport - row unit hoppers	16' 2"	21' 10"	17' 8"	12' 8"
Height				
Planting - row unit hoppers	–	–	–	–
Transport - row unit hoppers	9' 1"	–	–	–
Weight (empty)				
Base machine - row unit hoppers [§]	7,500–8,066 lbs.	4,874–5,548 lbs.	3,864–4,398 lbs.	2,538–2,948 lbs.