

FEATURES AND OPTIONS - 4005 SERIES

● = Standard ● = Optional

Features and options*	4905 / 24R 30'	4905 / 16R 30'	4905 / 12R 30'	4705 / 36R 20'	4705 / 24R 30'
Planter frame and toolbar	Front fold	Front fold	Front fold	Front fold	Front fold
Sections	3	3	3	3	3
Flexibility	21° Up / 21° Down	21° Up / 21° Down	21° Up / 21° Down	15° Up / 15° Down	15° Up / 15° Down
Row markers	●	●	●	●	●
Flip axle	●	–	–	–	–
Hydraulic weight transfer (active hydraulic weight transfer w/bulk fill scale and Blue Drive)	●	●	●	●	●
Number of rows per wing	8	5	3	12	8
Two-point hitch	●	●	●	–	–
CAT 4 drawbar hitch	●	●	●	●	●
CAT 5 drawbar hitch	–	–	–	●	●
PTO hydraulic package	●	●	●	●	●
Seed handling					
Bulk fill hoppers - total capacity	120 bu.	90 bu.	90 bu.	120 bu.	120 bu.
Bulk fill scale package	●	●	●	●	●
Transmission and drive system					
Blue Drive electric drive	●	●	●	●	●
Hydraulic drive	●	●	●	–	–
Ground contact drive	●	●	●	–	–
Displays and control					
Blue Vantage display (standard with Blue Drive)	●	●	●	●	●
Ag Leader InCommand 1200	●	●	●	–	–
Ag Leader electronics package	●	●	●	–	–
Ag Leader 7500 GPS Receiver	●	●	●	●	●
Electric single row clutches	● (ground/hyd)	●	●	–	–
Down pressure					
True Depth hydraulic down force	●	●	●	●	●
Pneumatic down pressure	●	●	●	●	●
Metering					
True Speed high speed electric drive meter	●	●	●	●	●
True Rate vacuum meter	●	●	●	●	●
Attachments					
Yetter air adjustable row cleaners	●	●	●	●	●
Spoked gauge wheels	●	●	●	●	●
Spiked closing wheels	●	●	●	●	●
Rubber V closing wheels	●	●	●	●	●
Cast iron closing wheels	●	●	●	●	●
Row unit mounted no-till coulters	●	●	●	●	●
Residue wheels	●	●	●	●	●
Granular chemical with hopper	●	●	●	●	●
Fertilizer					
Liquid fertilizer tanks	●	●	●	●	●
Liquid fertilizer openers	●	●	●	–	–
Liquid fertilizer tube in-furrow	●	●	●	●	●
Piston pump packages	●	●	●	–	–
Centrifugal pump packages	– (ground/hyd) ● (electric dr)	– (ground/hyd) ● (electric dr)	– (ground/hyd) ● (electric dr)	– (ground/hyd) ● (electric dr)	– (ground/hyd) ● (electric dr)
Miscellaneous					
Auxiliary work light package	●	●	●	●	●
Rear trailer hitch	●	●	●	–	–

*Not all features/options are available with all sizes or configurations. Some features/options available only through Dealer Parts.

● = Standard ● = Optional

Features and options*	3705	3665	3605	3505	3205	3145	3115	3005
Planter frame and toolbar	Front fold	Pivot fold	Pivot fold	Pivot fold	Wing fold	Stack fold	Mounted	Rigid
Sections	2	3	3	1	2	1	1	1
Flexibility	Center flex 15° up / 15° down	Wing flex 13° up / 13° down	Wing flex 7° up / 7° down	Rigid	Center flex 13° up / 12° down	Wing flex 8° up / 8° down	Rigid	Rigid
Split rows	–	●	●	●	–	–	–	●
Even row split row	–	●	●	●	–	–	–	–
Row markers	●	●	●	●	●	●	●	●
Hydraulic weight transfer (active hydraulic weight transfer w/bulk fill scale and Blue Drive)	–	●	●	–	–	–	–	–
2-point adapter	–	●	●	●	–	–	–	–
PTO hydraulic pump	●	●	●	●	–	–	–	–
Seed handling								
Bulk fill hoppers - total capacity	110 bu.	110 bu.	80 bu.	50 bu.	–	–	–	–
Bulk fill scale package	●	●	●	● (Blue Drive)	–	–	–	–
Row unit hoppers - 1.9 bu.	–	–	●	●	●	●	●	●
Transmission and drive system								
Blue Drive electric drive	–	●	–	●	–	–	–	–
Hydraulic drive	●	●	●	–	–	–	–	–
Ground contact drive	●	–	●	●	●	●	●	–
Displays and controls								
Blue Vantage display (standard with Blue Drive)	–	●	–	●	–	–	–	–
Ag Leader InCommand 1200	●	●	●	●	●	–	–	–
Ag Leader electronics package	●	●	●	●	●	–	–	–
KPM III electronic seed monitor	●	●	●	●	●	●	●	●
Ag Leader 7500 GPS receiver	●	●	●	–	●	–	–	–
Electric single row clutches	●	●	●	●	●	–	–	–
Down pressure								
True Depth hydraulic down force	–	●	●	●	–	–	–	–
Pneumatic down pressure	●	●	●	●	–	–	–	–
Heavy duty down pressure springs	●	●	●	●	●	●	●	●
Metering								
True Speed high speed electric drive meter	–	●	–	–	–	–	–	–
True Rate vacuum meter	●	●	●	●	●	●	●	–
Brush meter 2.0	–	●	●	●	●	●	●	●
Finger pick-up meter	–	●	●	●	●	●	●	●
Attachments								
Spoked gauge wheels	●	●	●	●	●	●	●	●
Spiked closing wheels	●	●	●	●	●	●	●	●
Rubber V closing wheels	●	●	●	●	●	●	●	●
Cast iron closing wheels	●	●	●	●	●	●	●	●
Row unit mounted no-till coulters	●	●	●	●	●	●	●	●
Residue wheels	●	●	●	●	●	●	●	●
Granular chemical with hopper	●	●	●	●	●	●	●	●
Fertilizer								
Liquid fertilizer tanks	●	●	●	●	●	–	–	●
Dry fertilizer packages	–	–	●	●	–	–	–	●
Notched single disc opener package	–	●	●	●	●	–	–	●
Heavy-duty single disc opener package	–	●	●	●	●	–	–	●
Liquid fertilizer tube in-furrow	–	●	●	●	●	–	–	●
Liquid fertilizer piston pump pkgs	●	●	●	●	●	–	–	●
Miscellaneous								
Auxiliary work lights	–	●	●	●	–	–	–	–
Rear trailer hitch	–	●	●	●	–	–	–	–

*Not all features/options are available with all sizes or configurations. Some features/options available only through Dealer Parts.

MODEL DIMENSIONS AND WEIGHTS

	4905			4705		3705	3665	
	24R 30"	16R 30"	12R 30"	36R 20"	24R 30"	24R 20"	16R 30"	12R 30"
Length								
Planting - row unit hoppers	–	–	–	–	–	27' 4"	–	–
Planting - bulk fill hoppers	28' 10" ¹	21' 11" ¹	19' 4" ¹	30' 1"	30' 1"	27' 4"	26' 3"	23' 9"
Transport - row unit hoppers	–	–	–	–	–	32' 0"	–	–
Transport - bulk fill hoppers	43' 8" ¹	33' 5" ¹	29' 5" ¹	43' 2"	43' 2"	32' 0"	49' 2"	39' 2"
Width								
Planting - row unit hoppers	–	–	–	–	–	43' 11"	–	–
Planting - bulk fill hoppers	62' 5"	43' 4"	33' 4"	60' 10"	60' 10"	43' 11"	42' 11"	32' 11"
Transport - row unit hoppers	–	–	–	–	–	13' 0"	–	–
Transport - bulk fill hoppers	12' 0"	12' 0"	12' 0"	16' 2"	16' 2"	13' 0"	11' 2"	11' 2"
Height								
Planting - row unit hoppers	–	–	–	–	–	–	–	–
Planting - bulk fill hoppers	9' 3"	8' 11"	8' 9"	10' 4"	10' 4"	8' 7"	–	–
Transport - row unit hoppers	–	–	–	–	–	10' 9"	–	–
Transport - bulk fill hoppers	12' 0" ²	11' 9" ³	11' 7" ³	12' 4"	12' 4"	13' 0"	12' 11"	12' 11"
Weight (empty)								
Base machine - row unit hoppers ⁸	–	–	–	–	–	18,300-20,000 lbs.	–	–
Base machine - bulk fill hoppers ⁸	31,525-33,770 lbs.	21,490-22,930 lbs.	17,070-18,000 lbs.	32,000-37,400 lbs.	30,000-34,820 lbs.	19,700-21,000 lbs.	25,718 lbs.*	22,380 lbs.*
Hitch - row unit hoppers	–	–	–	–	–	–	–	–
Hitch - bulk fill hoppers	10,146 lbs. ⁴	7,380 lbs.	5,260 lbs.	8,000 lbs.	9,620 lbs.	–	–	–

	3205	3145	
	12R 30"	16R 30"	12R 30"
Length			
Planting - row unit hoppers	17' 9"	5' 3" / 9' 5" ⁵	5' 3" / 9' 5" ⁵
Transport - row unit hoppers	17' 9"	5' 3" / 9' 5" ⁵	5' 3" / 9' 5" ⁵
Width			
Planting - row unit hoppers	31' 4"	40' 0"	30' 0"
Transport - row unit hoppers	16' 2"	21' 1" ⁶ / 23' 0"	16' 1" ⁶ / 17' 9"
Height			
Planting - row unit hoppers	–	–	–
Transport - row unit hoppers	9' 1"	12' 6" ⁶ / 15' 6"	12' 2" ⁶ / 13' 2"
Weight (empty)			
Base machine - row unit hoppers ⁸	7,500-8,066 lbs.	7,480-8,109 lbs.	6,236-6,794 lbs.

MODEL DIMENSIONS AND WEIGHTS

	3605		3505	
	16R 30"	12R 30"	8R 30"	6R 30"
Length				
Planting - row unit hoppers	24' 0"	21' 0"	19' 8"	19' 8"
Planting - bulk fill hoppers	24' 0"	21' 0"	19' 8"	-
Transport - row unit hoppers	46' 10"	36' 10"	26' 5"	23' 9"
Transport - bulk fill hoppers	46' 10"	36' 10"	26' 5"	-
Width				
Planting - row unit hoppers	41' 2"	31' 2"	21' 10"	16' 10"
Planting - bulk fill hoppers	41' 2"	31' 2"	21' 10"	-
Transport - row unit hoppers	11' 2"	11' 2"	11' 2"	11' 2"
Transport - bulk fill hoppers	11' 2"	11' 2"	11' 2"	-
Height				
Planting - row unit hoppers	-	-	-	-
Planting - bulk fill hoppers	8' 2"	8' 2"	8' 0"	-
Transport - row unit hoppers	11' 5"	11' 5"	10' 6"	10' 6"
Transport - bulk fill hoppers	12' 6"	12' 6"	12' 0"	-
Weight (empty)				
Base machine - row unit hoppers ⁸	23,033 lbs.**	18,180 lbs.**	5,886-6,269 lbs.	5,163-5,443 lbs.
Base machine - bulk fill hoppers ⁸	24,033 lbs.*	19,180 lbs.*	6,919-11,520 lbs.	-
Hitch - row unit hoppers	-	-	-	-
Hitch - bulk fill hoppers	-	-	2,260 lbs (with Split Rows)	-

	3115			3005		
	8R 30"	6R 36-40"	6R 30"	8R 30"	6R 30"	4R 30"
Length						
Planting - row unit hoppers	5' 3"	5' 3"	5' 3"	11' 4" / 13' 8" ⁷	11' 4" / 13' 8" ⁷	11' 4" / 13' 8" ⁷
Transport - row unit hoppers	5' 3"	5' 3"	5' 3"	11' 4" / 13' 8" ⁷	11' 4" / 13' 8" ⁷	11' 4" / 13' 8" ⁷
Width						
Planting - row unit hoppers	21' 10"	21' 0"	17' 8"	21' 10"	17' 8"	12' 8"
Transport - row unit hoppers	21' 10"	21' 0"	17' 8"	21' 10"	17' 8"	12' 8"
Height						
Planting - row unit hoppers	-	-	-	-	-	-
Transport - row unit hoppers	-	-	-	-	-	-
Weight (empty)						
Base machine - row unit hoppers ⁸	3,092-3,407 lbs.	2,560-2,854 lbs.	2,483-2,763 lbs.	4,874-5,548 lbs.	3,864-4,398 lbs.	2,538-2,948 lbs.

1. Add 2' 9" to length with drawbar hitch; add 1' 2" to length for 2-point hitch
 2. Includes row markers, flip axle and fertilizer
 3. Includes row markers and fertilizer
 4. Hitch weight reduced by 1,500 lbs when flip axle is engaged (may vary with other installed options)

5. With dual lift assist package
 6. Without markers
 7. With double-frame
 8. Base machine weight depends on how machine is equipped (meters, drives, hoppers, etc.)

* Typical configuration (split row, marker)
 ** Typical configuration